

VERIFICATION OF COMPLIANCE


No.: LVD SHES180700834101PVC-C1

Applicant: PIKCELL GROUP LTD.
BUL. PARTIZANSKI ODREDI 40-1/5 1000 SKOPJE
R. MACEDONIA

Manufacturer: Internal Code

Product Name: Photovoltaic (PV) Modules

Product Description: Photovoltaic (PV) Modules

Trade Mark: 

Rating: Max. Power: 340W, Max. system voltage: 1000V

Protection against Electric Shock: Application class: Class A

Degree of Protection: N/A

Additional Information: N/A

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: EN 61730-1:2018
EN 61730-2:2018

as shown in the
Test Report Number(s): SHES180700834101/02/03

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant harmonized standards under the Low Voltage Directive 2014/35/EU. The CE marking as shown below can be affixed, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives. The affixing of the CE marking presumes in addition that the conditions in annexes III and IV of the Directive are fulfilled.



Van Hua

Laboratory Technical Manager
SGS-CSTC

Aug. 19, 2019



Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

No.:

LVD SHES180700834101PVC-C1

Model No.:	<p>With 5" mono c-Si cell:</p> <p>PiKxxxM5-36 (xxx=090-120, in steps of 5W; 36 cells)</p> <p>PiKxxxM5-48 (xxx=120-160, in steps of 5W; 48 cells)</p> <p>PiKxxxM5-60 (xxx=150-200, in steps of 5W; 60 cells)</p> <p>PiKxxxM5-72 (xxx=180-240, in steps of 5W; 72 cells)</p> <p>With 6" mono c-Si cell:</p> <p>PiKxxxM6-36 (xxx=155-180, in steps of 5W; 36 cells)</p> <p>PiKxxxM6-48 (xxx=210-240, in steps of 5W; 48 cells)</p> <p>PiKxxxM6-54 (xxx=235-270, in steps of 5W; 54 cells)</p> <p>PiKxxxM6-60 (xxx=260-300, in steps of 5W; 60 cells)</p> <p>PiKxxxM6-72 (xxx=315-360, in steps of 5W; 72 cells)</p> <p>With 6" poly c-Si cell:</p> <p>PiKxxxP6-36 (xxx=150-170, in steps of 5W; 36 cells)</p> <p>PiKxxxP6-48 (xxx=200-225, in steps of 5W; 48 cells)</p> <p>PiKxxxP6-54 (xxx=225-255, in steps of 5W; 54 cells)</p> <p>PiKxxxP6-60 (xxx=250-280, in steps of 5W; 60 cells)</p> <p>PiKxxxP6-72 (xxx=300-340, in steps of 5W; 72 cells)</p>
------------	--

Van Hua

Laboratory Technical Manager
SGS-CSTC

Aug. 19, 2019

Copyright of this verification is owned by SGS-CTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)